

## Anemometer

### MODEL AVM-01/AVM-03

- Sensitive for low/high air velocity
- Ergonomic Design
- 0.3~45m/s range



AVM-01

### Specification for AVM-01/AVM-03 (23.0 +/- 5°C)

	Measurement	Range	Resolution	Accuracy
Air Velocity	M/S	0.3-45.0	0.1	+/- 3% or 0.1
	KNOTS	0.6-88.0	0.1	+/- 3% or 0.1
	ft/min	60-8800	10	+/- 3% or 10
	Km/hr	1-140.0	0.1	+/- 3% or 0.1
Optional Range	MPH	0.7-100.0	0.1	+/- 3% or 0.1
Temperature AVM-03	°C	0-60	0.1	+/- 0.8
Temperature AVM-03	°F	32-140	0.1	+/- 1.5

**Operating Temperature:** 10°C-50°C  
**Operating Pressure:** 500mB-2bar  
**Display:** Large 3 1/2 digit LCD  
**Power Source:** 1pc of 9V Battery  
**Dimension:** 168mm x 90mm x 31.3mm  
**Weight:** 500g  
**Accessory:** Carrying Case, 9V Battery, Instruction Manual

TES Electrical Electronic Corp.  
 7F, No. 31, Lane 513, Rui Guang Road,  
 Neihu Dist. Taipei, Taiwan, R.O.C.